

# Five of Diamonds Bracelet made with Silky and Rulla Beads

## By Laura Graham Desert Star Creations



This project may be taught and distributed exclusively by customers of the BeadSmith.

### Materials:

45-Silky Beads  
36 Color A and 9 Color B  
10 Rulla Beads  
18 3mm Crystal Bi-cones  
1-2 grams 15/0 seed beads  
8lb thread

Makes 7 1/4 inch Units are 3/4 inch

### Introduction:

This is a fun bracelet made by using a modified Right Angle Weave (RAW) and some simple edge work. It is a beginners level but prior knowledge of RAW is helpful and proper thread tension is needed. When working with these Silky beads they have a top and bottom and require that you pick them up a certain way, by left hole or right hole, I have them explained more below in my Legend. If you wish to do a two color version like the gray and teal, look for the (A) and (B) in the instructions. It works up quick and easy and can be made with two wing spans of thread with a stop bead at 8 inches for the clasp at end. Happy Beading!

### Legend:

Sil = Silky Bead



15/0 = seed beads




3mm = Crystal Bicone



Rul = Rulla Bead

Rulla

Sil RH = Right Hole



Sil LH = Left Hole


Grayed Out = Existing beads




**1. Pick up Sil-LH (A), 15/0, Rul, 15/0, Sil-LH (A), 5 15/0. U-turn down the open hole of the last Silky we picked up.**




**2. Pick up Silk-RH (B). Sew through the first Silky we picked up in last step. Pick up 5 15/0. Sew back up the Sil-LH and sew through all the beads again to exit the bottom Sil (A). See Diagram**




**3. Pick up 15/0, 3mm, 15/0, Sil-LH (A)  
Sew up the open hole of the center  
Silky (B) from last step. Pick up Sil-LH (A),  
15/0, 3mm, 15/0. Sew down the top  
left Silky, down the center and out the  
bottom left Silky, inside hole. Sew through  
the 15/0, 3mm, 15/0 and Silky's just  
added to exit out the top Silky.**




**4. Pick up 5 15/0. Sew over Silky and down open hole of bottom right Silky. Pick up 5 15/0. Sew over the end of Silky and up through the inside hole of right bottom, center and right top Silky. Sew through the top 15/0's, Silky and through the 15/0, Rulla, 15/0.**




5. Thread should be exiting the 15/0 past the Rulla. Pick up 2 15/0, Sew up through the open hole of Rulla. Pick up 2 15/0. Sew through the 15/0 above the Rulla, the Rulla and all beads just added to exit the 1st 15/0 past the Rulla out new hole.



6. Pick up Sil-LH, 5 15/0. Sew over top and go through the open hole of the Silky just added. Pick up Sil-RH, Sil-LH, 5 15/0. Sew around and through last Silky added, the 15/0, Rulla, 15/0 and all beads added. Stop when thread is exiting the bottom Silky. Repeat steps 3-6 to length.



7. After last unit and ending on step 5 (the Rulla with picot), pick up 7 15/0 and half your clasp. Sew back through the Rulla in the same direction to create loop. Sew through again to secure. Tie off, end thread. Repeat this step with tail for the other half of clasp.



Any questions, email me!  
[laura@desertstarcreations.com](mailto:laura@desertstarcreations.com)  
Please give credit when posting any pictures or  
items for sale on the internet.